



## Agromet Advisory Bulletin

Date : 27-01-2023

Weather Forecast of District KANKER(Chhattisgarh) Issued On : 2023-01-27(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-01-28	2023-01-29	2023-01-30	2023-01-31	2023-02-01
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	32.0	32.0	32.0	32.0	31.0
Tmin(°C)	14.0	15.0	14.0	16.0	17.0
RH-I(%)	80	80	85	82	82
RH-II(%)	35	34	38	38	38
Wind Speed(kmph)	3.0	3.0	3.0	2.0	4.0
Wind Direction(Degree)	34	105	156	158	30
Cloud Cover(Octa)	0	4	4	3	4

### Weather Summary/Alert:

According to the medium-term weather forecast released by India Meteorological Department in next five days There is no chance of rain in Kanker district sky will be partly cloudy with maximum Temperature 31.0-32.0 °C and minimum temperature 14.0-17.0 °C and 80-85% humidity in the morning air and 34-38% humidity in the evening air and in the coming days the wind moves from northeast/southeast directions with the speed is likely to be 2.0-4.0 kmph.

### General Advisory:

Multiple "Crop Doctor" mobile app has been developed by Indira Gandhi Agriculture University Raipur C.G., through this app you can get advice by directly connecting with agricultural experts with information related to the crop, as well as weather, model farm, agricultural almanac. You can get information related to e-Haart and custom hiring, you can install this app on your Android mobile through the Play Store. [https://play.google.com/store/apps/details?id=igkv.igkvcropdoctor&hl=en\\_IN&gl=US](https://play.google.com/store/apps/details?id=igkv.igkvcropdoctor&hl=en_IN&gl=US)

### SMS Advisory:

If an outbreak of sucking insect is seen in mustard, spray the following medicine at the rate of 3 liters per hectare.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Spray the neem based medicine in the nursery of summer paddy to avoid sucking insects. Spray zinc sulfate at the rate of 25 kg per hectare for summer rice
WHEAT	Continue to do weeding work when there is moisture in the ground in the wheat crop In wheat crop sown from 70 to 75 days, apply only a third of urea.

### Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Give turmeric or vitamin C, D, E solution in the form of immunity booster dose in chickens .

### Others (Soil / Land Preparation) Specific Advisory:

Others (Soil / Land Preparation)(Varieties)	Others (Soil / Land Preparation) Specific Advisory
GENERAL ADVICE	Transplant summer seasonal flowering plants, use the ridges properly
PLANT PROTECTION	When yellow mosaic disease is seen in leguminous crops, uproot and destroy the diseased plants and spray Thymethoxam 25 WD 500 g per hectare solution for the disease carrier insect .
GENERAL ADVICE	Along with farming, give priority to livestock and poultry farming, which will also provide additional income and reduce the risk.